



QuEChERS

Agilent Bond Elut QuEChERS Kits make sample prep as easy as 1- 2- 3. Pre-packaged Agilent Bond Elut QuEChERS Kits are an easy way to capture the time-saving benefits of QuEChERS sample preparation.

- Extraction kits with pre-weighed anhydrous salts in sealed packets allow you to add salts after you add organic solvent to your sample – minimizing an exothermic reaction that can compromise analyte recovery
- Dispersive kits with sorbents and salts supplied in 2 mL or 15 mL centrifuge tubes accommodate the aliquot volumes specified by current AOAC and EN methodologies
- Universal dispersive kits provide excellent recoveries and reproducibility for all types of fruits and vegetables
- Ceramic homogenizers break up salt agglomerates, promoting consistent sample extraction and increasing product recovery during extraction and dispersion; shaking time reduced from 60 to 20 seconds

TIPS & TOOLS




For more information on QuEChERS, please view our webinar "QuEChERS 101: The Basics and Beyond" at www.agilent.com/chem/quetcherswebinar



Agilent Recommended Standard Operating Procedure for QuEChERS

In just 3 easy steps, you can prepare any fruit or vegetable sample for multi-class, multi-residue pesticide analysis.



Selection criteria

- QuEChERS method
- Compounds for screening

Use buffered kits if base-sensitive pesticides are present. Agilent recommends using buffered kits as a first choice.

Selection criteria

- QuEChERS method
- Food type to be analyzed
- Aliquot volume

*Aliquot size is specified by the method, and kits are created for these specific amounts. For pesticides with acidic groups (phenoxyacanoic acids), analyze directly by LC/MS/MS at this point (skip the dispersive SPE stage). These acidic groups interact with the PSA that is part of the dispersive SPE step.



QuEChERS AOAC 2007.01 extraction kit, 5982-5755



Ceramic homogenizer for 50 mL tubes, 5982-9313

QuEChERS Extraction Kits

- Available with or without 50 mL centrifuge tubes and caps
- Include MgSO₄, NaCl, or other salts for buffering; pre-weighed in anhydrous packet

Step 1: Extraction

Choose the extraction salt packet based on your method of analysis, AOAC or EN. The buffered extraction salts are amenable for more labile pesticides. Adding solvent and then salts to a comminuted fruit or vegetable sample (10 g or 15 g) enables you to extract the pesticides of interest into the organic layer. Agilent pre-packages its QuEChERS salts and buffers in anhydrous packages. This allows you to add them after adding your solvent to the sample, as specified in QuEChERS methodologies.

In the table below, the "CH" products contain the appropriately sized CH for those particular kits. For more information on Ceramic Homogenizers see page 99.

QuEChERS Extraction Kits

Method	Buffered	Contents	Ceramic Homogenizers	With 50 mL Tubes 50/pk	Packets Only	
					50/pk	200/pk
AOAC 2007.01	Yes	6 g MgSO ₄ ; 1.5 g NaAcetate	Yes	5982-5755CH		
			No	5982-5755	5982-6755	5982-7755
Original (10 g samples)	No	4 g MgSO ₄ ; 1 g NaCl	Yes	5982-5550CH		
			No	5982-5550	5982-6550	5982-7550
Original (15 g samples)	No	6 g MgSO ₄ ; 1.5 g NaCl	Yes	5982-5555CH		
			No	5982-5555	5982-6555	5982-7555
EN 15662	Yes	4 g MgSO ₄ ; 1 g NaCl; 1 g NaCitrate; 0.5 g disodium citrate sesquihydrate	Yes	5982-5650CH		
			No	5982-5650	5982-6650	5982-7650
Acrylamides*	No	4 g MgSO ₄ ; 0.5 g NaCl	No	5982-5850		
Veterinary Drugs**	No	4g Na2SO4, 1 g NaCl	No	5982-0032		

*Katerina Mastovaka and Steven J. Lehotay have done work to extend the scope of QuEChERS beyond fruits and vegetables(1), using it to extract acrylamides in potato chips and other fried foods.

**See Application Note publication number 5991-0013EN: Screening 36 Veterinary Drugs in Animal Origin Food by LC/MS/MS Combined with Modified QuEChERS Method.

1: "Rapid Sample Preparation Method for LC-MS/MS or GC-MS Analysis of Acrylamides in Various Food Matrices", J. Agric. Food Chem, 2006, 54, 7001-7008.

QuEChERS Dispersive Kits

Step 2: Dispersive SPE Cleanup

Select the Dispersive SPE kit suited to the type of food being analyzed and the method you are following. In this step, an aliquot of the sample extract from Step One is added to a 2 mL or 15 mL centrifuge tube containing a small amount of SPE sorbent and MgSO₄. The sorbent will pull out interfering matrix materials from the sample, while the MgSO₄ helps remove excess water and improve analyte partitioning. Select kits are now available with ceramic homogenizers (2 per tube). Their part numbers are designated by a CH.



QuEChERS dispersive kit, 5982-5022



QuEChERS dispersive kit, 5982-5022CH

QuEChERS Dispersive Kits, Fruits and Vegetables

Kit	Size	Unit	AOAC 2007.01 Method	European Method EN 15662
			Kit Contents Part No.	Kit Contents Part No.
General fruits and vegetables: Removes polar organic acids, some sugars and lipids	2 mL	100/pk	50 mg PSA	25 mg PSA
			150 mg MgSO ₄	150 mg MgSO ₄
			5982-5022	5982-5021
			5982-5022CH	5982-5021CH
	15 mL	50/pk	400 mg PSA	150 mg PSA
			1200 mg MgSO ₄	900 mg MgSO ₄
			5982-5058	5982-5056
			5982-5058CH	5982-5056CH
Fruits and vegetables with fats and waxes: Removes polar organic acids, some sugars, more lipids and sterols	2 mL	100/pk	50 mg PSA	25 mg PSA
			50 mg C18EC	25 mg C18EC
			150 mg MgSO ₄	150 mg MgSO ₄
			5982-5122	5982-5121
		5982-5122CH	5982-5121CH	
	15 mL	50/pk	400 mg PSA	150 mg PSA
			400 mg C18EC	150 mg C18EC
			1200 mg MgSO ₄	900 mg MgSO ₄
			5982-5158	5982-5156
		5982-5158CH	5982-5156CH	



Part numbers ending in CH indicate tubes containing ceramic homogenizers.

(Continued)

QuEChERS Dispersive Kits, Fruits and Vegetables



Kit	Size	Unit	AOAC 2007.01 Method	European Method EN 15662
			Kit Contents Part No.	Kit Contents Part No.
Pigmented fruits and vegetables: Removes polar organic acids, some sugars and lipids, and carotenoids and chlorophyll; not for use with planar pesticides	2 mL	100/pk	50 mg PSA 50 mg GCB 150 mg MgSO ₄ 5982-5222 5982-5222CH	25 mg PSA 2.5 mg GCB 150 mg MgSO ₄ 5982-5221 5982-5221CH
	15 mL	50/pk	400 mg PSA 400 mg GCB 1200 mg MgSO ₄ 5982-5258 5982-5258CH	150 mg PSA 15 mg GCB 885 mg MgSO ₄ 5982-5256 5982-5256CH
Highly pigmented fruits and vegetables: Removes polar organic acids, some sugars and lipids, plus high levels of carotenoids and chlorophyll; not for use with planar pesticides	2 mL	100/pk		25 mg PSA 7.5 mg GCB 150 mg MgSO ₄ 5982-5321 5982-5321CH
	15 mL	50/pk		150 mg PSA 45 mg GCB 855 mg MgSO ₄ 5982-5356 5982-5356CH
Fruits and vegetables with pigments and fats: Removes polar organic acids, some sugars and lipids, plus carotenoids and chlorophyll; not for use with planar pesticides	2 mL	100/pk	50 mg PSA 50 mg GCB 150 mg MgSO ₄ 50 mg C18EC 5982-5421 5982-5421CH	
	15 mL	50/pk	400 mg PSA 400 mg GCB 1200 mg MgSO ₄ 400 mg C18EC 5982-5456 5982-5456CH	

Part numbers ending in CH indicate tubes containing ceramic homogenizers.

QuEChERS Dispersive Kits: Other Food Methods

Kit	Size	Unit	AOAC 2007.01 Method	European Method EN 15662
			Kit Contents Part No.	Kit Contents Part No.
Other Food Methods Removes biological matrix interferences, including hydrophobic substances (fats, lipids) and proteins	2 mL	100/pk	25 mg C18 150 mg MgSO ₄ 5982-4921 5982-4921CH	
	15 mL	50/pk	150 mg C18 900 mg MgSO ₄ 5982-4956 5982-4956CH	
All Food Types Removes all matrix interfering materials including polar organic acids, lipids, sugars, proteins, carotenoids and chlorophyll	2 mL	100/pk	50 mg PSA 50 mg C18 7.5 mg GCB 150 mg MgSO ₄ 5982-0028 5982-0028CH	
	15 mL	50/pk	400mg PSA 400 mg C18 45 mg GCB 1200 MgSO ₄ 5982-0029 5982-0029CH	
Animal Origin Food Removes matrix interferences such as polar organic salts, sugars, lipids and proteins	15 mL	50/pk	50 mg PSA 150 mg C18EC 900 mg Na ₂ SO ₄ 5982-4950	

Part numbers ending in CH indicate tubes containing ceramic homogenizers.



TIPS & TOOLS

View the core concepts surrounding the QuEChERS method at www.agilent.com/chem/QuEChERSvideo










Suggested Bond Elut QuEChERS Dispersive Kit by Food Type and Method

Commodity Group	Commodity	General Fruits and Vegetables EN or AOAC	Fruits and Vegetables w/Fats and Waxes; EN or AOAC	Pigmented Fruits and Vegetables EN or AOAC	Highly Pigmented Fruits and Vegetables; EN	Fruits and Vegetables w/Pigment and Fats; AOAC only
Use With		Lightly colored samples	Samples containing > 1% Fat/Lipids	Colored samples (chloryphyl, carotinoids), no planar pesticides	Highly colored samples (chloryphyl, carotinoids), no planar pesticides	Colored samples that also contain fats or waxes
Fruits						
 Citrus Fruits	citrus juices					
	grapefruit					
	lemon/lime					
	orange					
	orange peel					
	nectarine					
	tangerine					
 Pome Fruits	apple					
	apple, dried					
	apple sauce					
	apple juice					
	pear					
 Stone Fruits	quince					
	apricot					
	apricot, dried					
	apricot nectar					
	cherry					
	mirabelle					
	nectarine					
	peach					
	peach, dried					
	plum					
plum, dried						
 Soft and Small Fruits	blackberry					
	blueberry					
	currant					
	elderberry					
	gooseberry, red					
	grapes, red					
	grapes, green					
	raspberry					
	raisin					
	cranberry					
	strawberry					
 Other Fruits	pineapple					
	banana					
	avocado					
	olives					
	fig, dried					
	melon					
	kiwi					
	mango					
papaya						

(Continued)

Suggested Bond Elut QuEChERS Dispersive Kit by Food Type and Method

Commodity Group	Commodity	General Fruits and Vegetables EN or AOAC	Fruits and Vegetables w/Fats and Waxes; EN or AOAC	Pigmented Fruits and Vegetables EN or AOAC	Highly Pigmented Fruits and Vegetables; EN	Fruits and Vegetables w/Pigment and Fats; AOAC only
Use With		Lightly colored samples	Samples containing > 1% Fat/Lipids	Colored samples (chloryphyl, carotinoids), no planar pesticides	Highly colored samples (chloryphyl, carotinoids), no planar pesticides	Colored samples that also contain fats or waxes
Vegetables						
 Root and Tuber Vegetables	beets					
	carrot					
	celeriac					
	horseradish					
	parsley root					
	radish					
	black salsify					
	potato					
 Leek Plants	garlic					
	onion					
	scallion					
	leek					
	shallot					
	chive					
 Fruiting Vegetables	eggplant/aubergine					
	cucumber					
	pepper, sweet green					
	pepper, sweet, red					
	pumpkin					
	tomato					
	zucchini (courgette)					
 Broccoli	broccoli					
	brussels sprouts					
	cauliflower					
	chinese cabbage					
	kale					
	kohlrabi					
	red cabbage					
	savoy cabbage					
white cabbage						
 Leafy Vegetables and Herbs	lettuce varieties					
	endive					
	cress					
	lamb's lettuce					
	cilantro					
	basil					
	parsley					
	rucola, arugula					
	spinach					
 Stem Vegetables	asparagus					
	celery					
	leek					
	rhubarb					
	artichokes					
 Legumes	beans, peas, lentils, (fresh)					
	beans, peas, lentils, (dried)					

(Continued)

Suggested Bond Elut QuEChERS Dispersive Kit by Food Type and Method

Commodity Group	Commodity	General Fruits and Vegetables EN or AOAC	Fruits and Vegetables w/Fats and Waxes; EN or AOAC	Pigmented Fruits and Vegetables EN or AOAC	Highly Pigmented Fruits and Vegetables; EN	Fruits and Vegetables w/Pigment and Fats; AOAC only
Use With		Lightly colored samples	Samples containing > 1% Fat/Lipids	Colored samples (chloryphyl, carotinoids), no planar pesticides	Highly colored samples (chloryphyl, carotinoids), no planar pesticides	Colored samples that also contain fats or waxes
Animal-Sourced Foods						
Meats 	beef, pork, veal, chicken					
	liver, kidney					
Seafood 	finfish					
	bivalve, shellfish					
Dairy 	dairy					
Other Foods						
Cereals 	wheat, corn, rice					
	grain, flour, etc.					
Tea/Coffee 	coffee beans					
	tea leaves					
Dried Spices 	peppercorn seeds					
	peppers, curry					
	leek plants					
Oils 	olive, canola					
	citrus					
Baby Food 	baby food					
Other						
Agricultural Products 	tobacco					
	cotton, hemp					
	cocoa solids					
Soil 	soil					
Whole Blood 	whole blood					

TIPS & TOOLS



Access the complete QuEChERS applications library at www.agilent.com/chem/QuEChERS

QuEChERS Ceramic Homogenizers

Ceramic homogenizers increase your overall lab productivity and give you greater confidence in your results. They make analyte extraction easier by:

- Cutting the required extraction time from 60 seconds to as little as 20 seconds – a time savings of 70% per sample
- Maintaining high, reproducible extractions in a third of the time
- Minimizing variance between technicians
- Breaking up salt agglomerates and maintaining a consistent grinding of homogenizing material

The same great ceramic homogenizers available in our QuEChERS Kits are also available for bulk purchase, providing excellent grinding capabilities of the samples.

QuEChERS Ceramic Homogenizers

Description	Unit	Part No.
Ceramic homogenizer for 50 mL tubes	100/pk	5982-9313
Ceramic homogenizer for 15 mL tubes	100/pk	5982-9312
Ceramic homogenizer for 2 mL tubes	200/pk	5982-9311



Ceramic homogenizer for 50 mL tubes, 5982-9313

Standards for QuEChERS Products

In addition to our industry-leading QuEChERS Kits, Agilent makes your analysis easier by providing standards for the most commonly used regulatory methods, including AOAC and EN.

- Save time and avoid inconvenience of making standards
- Available for both GC and LC instruments
- Ready to use for QuEChERS extractions – no dilutions required

Standards for QuEChERS Products

Description	Concentration	Kit Contents	Part No.
HPLC & GC Internal Standard, AOAC Method	1000 µg/mL	Parathion-d10 (diethyl-d10), Alpha-BHC-d6 (alpha-HCH-d6)	5190-0502
QC Solution, AOAC Method	500 µg/mL	Triphenyl phosphate	5190-0503
HPLC Internal Standard, EN Method	100 µg/mL	Tris (1,3-dichloroisopropyl) phosphate, Nicarbazin	5190-0500
GC Internal Standard, EN Method	5000 µg/mL	(2,2',5,5'-tetrachlorobiphenyl), Triphenylmethane, Tris (1,3-dichloroisopropyl) phosphate	5190-0501
QC Surrogate for GC Standard, EN Method	500 µg/mL 1000 µg/mL	(2,2',3,4,4',5'-hexachlorobiphenyl) Anthracene-d10	5190-0499